



11/28/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**UTILITY APPLICATION AND FEE TRANSMITTAL (1.53(b))**

COMMISSIONER FOR PATENTS
BOX PATENT APPLICATION
 Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s) names and addresses:

- 1) Shu-Chun Jeane Chen
 10907 Derry Down Way
 San Diego, CA 92130 USA
- 2) James S. Lipscomb
 1646 Paine Street
 Yorktown Heights, NY 10598 USA
- 3) Lurng-Kuo Liu
 125 Lake Street, #12AN
 White Plains, NY 10604 USA
- 4) Jai Menon
 1041 Abingdon Lane
 Alpharetta, GA 30022
- 5) Liang-Jie Zhang
 14 Westview Avenue
 White Plains, NY 10603 USA

☐ Additional inventors are listed on a separate sheet

For: **AN ENHANCED TV BROADCASTING METHOD AND SYSTEM USING TAGS FOR
 INCORPORATING LOCAL CONTENT INTO A PROGRAM DATA STREAM**

Enclosed Are:

18 page(s) of specification
1 page(s) of Abstract
8 page(s) of claims (31 total, 7 Indp.)
6 sheets of ☒ Formal ☐ Informal drawings (Figs. 1-6)

3 page(s) of Declaration and Power of Attorney

☐ Unsigned
☒ Newly Executed
☐ Copy from prior application
☐ Deletion of inventors including Signed Statement under 37 C.F.R. §1.63(d)(2)

Incorporation by Reference:

☐ The entire disclosure of the prior application, from which a copy of the combined Declaration and Power of Attorney is supplied herein, is considered as being part of the disclosure of the accompanying application and is incorporated herein by reference.

☐ Microfiche Computer Program (Appendix)

☐ page(s) of Sequence Listing

☐ computer readable disk containing Sequence Listing

☐ Statement under 37 C.F.R. §1.821(f) that computer and paper copies of the Sequence Listing are the same

X Assignment Papers (assignment cover sheet and assignment documents)

☐ A check in the amount of \$40.00 for recording the Assignment

☐ Charge the Assignment Recordation Fee to IBM Deposit Account No. 09-0459, Order No. SOM9-2000-0008/1963-7390.

☐ Assignment Papers filed in the parent application Serial No. _____.

X Are not enclosed at this time.

☐ Certification of chain of title pursuant to 37 C.F.R. §3.73(b)

Priority is claimed under 35 U.S.C. §119 for:

Application No(s). _____, filed _____, in _____.

_____ Certified Copy of Priority Document(s)

☐ filed herewith

_____ filed in application Serial No. _____, filed _____.

_____ English translation document(s) [_____]

☐ filed herewith

_____ filed in application Serial No. _____, filed _____.

☐ Priority is claimed under 35 U.S.C. §119(e) for:
Provisional Application No. _____, filed _____.

☐ Priority is claimed under 35 U.S.C. §120 for:
Application No(s). _____, filed _____ in USA.

_____ Information Disclosure Statement

☐ Copy of [_____] cited references

_____ PTO Form-1449

_____ References cited in parent application Serial No. _____.

☐ Preliminary Amendment

X Return receipt postcard (MPEP 503)

☐ This is a ☐ continuation ☐ divisional ☐ continuation-in-part of prior application serial no. _____, filed _____.

_____ Cancel in this application original claims _____ of the parent application before calculating the filing fee. (At least one original independent claim must be retained for filing purposes.)

— A Preliminary Amendment is enclosed. (Claims added by this Amendment have been properly numbered consecutively beginning with the number following the highest numbered original claim in the prior application).

- ☐ The status of the parent application is as follows:
- ☐ A Petition for Extension of Time and a Fee therefor has been or is being filed in the parent application to extend the term for action in the parent application until _____.
- ☐ A copy of the Petition for Extension of Time in the co-pending parent application is attached.
- ☐ No Petition for Extension of Time and Fee therefor are necessary in the co-pending parent application.
- ☐ Please abandon the parent application at a time while the parent application is pending or at a time when the petition for extension of time in that application is granted and while this application is pending has been granted a filing date, so as to make this application co-pending.
- ☐ Transfer the drawing(s) from the parent application to this application
- ☐ Amend the specification by inserting before the first line the sentence:
This is a continuation of co-pending application serial no. _____, filed _____.

I. CALCULATION OF APPLICATION FEE				
	Number Filed	Number Extra	Rate	Basic Fee \$710.00/355.00
Total Claims	31	11	\$18.00/\$9.00	\$198.00
Independent Claims	7	4	\$80.00/\$40.00	\$320.00
<input type="checkbox"/> Multiple Dependent Claims		If marked, add fee of \$270.00 (\$135.00)		\$
Reduced fees under 37 C.F.R. §1.9 (f) paid herewith (1/2				
TOTAL:				\$1,228.00

— A statement claiming small entity status is attached or has been filed in the above-identified parent application and its benefit under 37 C.F.R. §1.28(a) is hereby claimed. Reduced fees under 37 C.F.R. §1.9 (f) paid herewith.

- ☐ A check in the amount of \$ _____ in payment of the application filing fees is attached.
- ☒ Charge fee of \$1,228.00 (11 additional total claims = \$198.00 + 4 additional indep. claims= \$320.00 + filing fee of \$710.00) to IBM Deposit Account No. 09-0459, Order No. SOM9-2000-0008/1963-7390. A DUPLICATE COPY OF THIS SHEET IS ATTACHED.


X The Commissioner is hereby authorized to charge any additional fees which may be required for filing this application pursuant to 37 CFR §1.16, including all extension of time fees pursuant to 37 C.F.R. § 1.17 for maintaining copendency with the parent application, or credit any overpayment to IBM Deposit Account No. 09-0459, Order No. SOM9-2000-0008/1963-7390
A DUPLICATE COPY OF THIS SHEET IS ATTACHED.

Respectfully submitted,

MORGAN & FINNEGAN, L.L.P.

Dated: November 28, 2000

By:



Joseph C. Redmond, Jr.

Registration No. 18,753

(202) 857-7887 Telephone

(202) 857-7929 Facsimile

CORRESPONDENCE ADDRESS:

MORGAN & FINNEGAN, L.L.P.
345 Park Avenue
New York, NY 10154

AN ENHANCED TV BROADCASTING METHOD AND SYSTEM USING TAGS FOR INCORPORATING LOCAL CONTENT INTO A PROGRAM DATA STREAM

Inventors: Shu-Chun Jeane Chen; James S. Lipscomb; Lurng-Kuo Liu; Jai Menon and
5 Liang-Jie Zhang

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates to communication systems and methods of operation. More particularly, the invention relates to an enhanced TV broadcasting system, method and program
10 product using tags for incorporating local content into a communication stream containing program content.

2. Description Of Prior Art

Many TV broadcasting stations, particularly cable systems and digital TV stations transmit programming content over an area in a communication stream using the MPEG-2
15 format. All station and cable viewers receive the same program content including the same commercials. Typically, there is little opportunity in such current broadcasting systems to include local programming contents or targeted commercials in the communication stream. An emerging technology called Enhanced TV (ETV) aids in inserting local program content and targeted commercials to station and cable viewers. Enhanced TV uses certain technologies from
20 the Internet to deliver graphical and informational elements as components on the same screen as a video program. Once transmitted over the air or via telephone wires or cables, the components are televised on top of video programming as enhancements and viewed on traditional TV sets, computers, and on other video-ready digital products.

To the viewer, "enhancements" appear as graphical and sometimes purely informational elements on the screen and overlay a video broadcast. Often the enhancements are opaquely colored and cover the video broadcast in part or are transparent or semi-transparent. Specific reoccurring elements are icons, banners, labels, menus, information about the program, data one
5 can print, open text fields in which one can insert an email address, or forms to fill out in order to buy a product. If the producer has done an adequate job, the enhancements will be relevant to the television programming beneath it. Alternatively, the TV broadcast can also be shrunk down on the TV screen to make room for the enhancements which may be displayed beside the TV broadcast. Also, the TV broadcast can be blanked out freeing the entire screen for display of the
10 enhancements. An example of screen blanking is the Weather Channel, which every 10 minutes or so replaces the national feed by locally generated displays of the local weather. Regional commercials inserted by cable companies or by local broadcasters over the national feed are another example of screen blanking.

Sometimes the enhancements are interactive. To navigate and participate in such
15 interactive television broadcasts, viewers can use the buttons on the remote control, type commands or words with a wireless keyboard on certain systems, or use the mouse if experiencing interactive TV via a computer. Depending upon the network, the software on the settop box, or if also connected to the Internet, the viewer will receive access to an electronic programming guide (EPG); a special TV-online service containing links to local information; or
20 applications such as email, games, home banking, community message boards, and many future applications.

In order to further implement enhanced TV there is a need to more effectively organize program content, send the program content into an MPEG-2 data injector which embeds the data

into an MPEG-2 transport stream and then insert local content as enhancements into the transport stream.

Prior art related to enhanced TV broadcasting systems, includes:

USP 6,029,045 entitled "System and Method for Inserting Local Content into

5 Programming Content" by M. R. Picco et al., issued February 22, 2000, discloses transmitting a programming data stream and a local content digital data stream to a settop box in a house of a user. The settop box stores a predetermined portion of the pieces of local content data based on predetermined criteria and identifies a local content space in the programming data stream. The settop box may also select a particular piece of local content from the storing system to insert
10 into the local content space in the programming data stream based on a plurality of predetermined preferences of the user. The selected piece of local content is retrieved from the storage and inserted into the programming data stream in the local content space so that the individualized local contents specific to the use of the settop box is inserted into the programming data stream.

15 USP 5,636,245 entitled "Location Base Selective Distribution of Generally Broadcast Information" by D.E. Ernest et al. issued June 3, 1997, discloses a system for determining whether information broadcast by a general transmitter is relevant to a particular user based on location, velocity, and/or time of an object of interest. The system includes a remote terminal, a general broadcasting unit, a transmitter at the general broadcasting unit for broadcasting
20 messages including a segment comprising a region, a velocity and/or time corresponding to an event as well as an event specific tag, and storage for storing selection criteria including current position, time and/or velocity information of the user and/or manually entered data of interest. The selection criteria may also include events specific tags. The receiver at the remote terminal

receives a message from the transmitter of the general broadcasting unit. A navigational receiver may also be used to acquire navigational information from an appropriate external source. A matching processor at the remote terminal evaluates the segment of the messages, determines if the segment sufficiently matches the stored selection criteria and outputs a match signal. A processor in the remote unit receives the match signal and processes and disseminates the message in accordance with the match signal.

USP 5,636,222 entitled "Broadcast Method And System With Cell Tag Information For Multiple Self-Routing" by: S. Uriu et al., issued June 3, 1997, discloses a self-routing switch for executing a broadcast in an ATM mode. The switching unit comprises a central controller, a tag information adder and a self-routing switch. The self-routing switch comprises a plurality of input and output lines. Unit switches are provided for each input line corresponding to each of output line. The tag information adder adds routing information for the self-routing switch to a cell transmitted to the self-routing switch. The routing information comprises a set of bit corresponding to each output line. The tag information adds to the cell the routing information in which a bit corresponding to an output line for transmitting the cell is set to predetermined logical value. In executing the broadcast, a plurality of bits corresponding to a plurality of output lines is set to a predetermined logical value. The self-routing switch analyzes the routing information of the cell received by each unit switch and outputs the cell to the output line if the bit corresponding to a unit switch is set to a predetermined logical value. If a plurality of bits of routing information is set to a predetermined value, the cell is outputted from a plurality of output lines thus enabling the broadcast.

USP 5,434,978 entitled "Communication Interface Employing Unique Tags Which Enable A Destination To Decode A Received Message Structure" by M. J. Dockter et al., issued

July 18, 1998, discloses a communication interface for producing messages in accord with a protocol. Each message comprises at least a first level message structure with a unique tag value that identifies a class of message structures to which the first level message structure belongs. A unique tag value enables identification of a grammar template procedure that allows analysis of a first level message structure. A destination node receives the first level message structure and includes circuitry for determining the unique tag value. A memory in the destination stores at addresses indicated by unique tag values, grammar template procedures for each class of first level message structures. A processor at the destination node is responsive to a detected unique tag value to access a grammar template procedure at an address in the memory determined from a received unique tag value and to analyze the first level message structure in accordance with the access grammar template procedure. A second level message structure includes a further unique tag value and comprises an assembly group of first level message structures.

None of the prior art discloses an enhanced TV broadcasting system and method of operation transmitting audio/visual program content and enabling local enhancements to be inserted under or as a splice in the program content at each local receiver in a convenient and timely manner

SUMMARY OF THE INVENTION

An object of the invention is an enhanced TV broadcast system, method and program product for inserting local enhancements into program content.

Another object is an enhanced TV broadcast system, method and program product using tags to insert local enhancements in the program content.

Another object is generating various tags at a local or remote station for incorporation of local content into a program content transmitted by an enhanced TV broadcast system.

Another object is processing various tags for inserting local enhancements in program content transmitted from an enhanced TV broadcast system.

These and other object, features and advantages are achieved in a system, method and program product using tags as markers for incorporating local content in a communications stream, e.g., TV broadcast, cable transmission. The system includes a transmitter generating a communication stream including program content directed to viewers, listeners, subscribers and the like. The transmitter includes an authoring tool for generating tags incorporated into the program content. A scheduler inserts the tags into the program content so as not to disrupt the audio-visual content in the program by insertion under or splicing in the program content. An insertion module performs the insertion of the tag into the content. The finished program content with tags is stored or sent to an encoder for transmission to a receiver as a communication stream, in one embodiment, using MPEG – 2. The tags contain modification of the content for retransmission to the local receiver area with local content or other actions. The tags are of two types. One tag initiates local action in the program content in the communication stream. A second tag overrides local action. Each tag contains a header, a tag type and tag action. The header indicates the tags that follow in the content. The tag type indicates local program content, i.e., local weather, local commercials, and viewer interaction. Tag action implements the local content. A receiver captures and stores the program content and tags in a buffer. Local tags are stored in a local table. Override tags are stored in a local override table. During the transmission of the program content, a supervisor continuously reads the local table for local tags. When the time for a local tag is detected, the program content is interrupted by splicing or inserting the content according to the tag action described in the local tag. If a local override tag is detected, the local tag is overridden, and the tag action described by the local override tag is performed.

As long as there is program content, the supervisor continues to look for tags. The program content may be continuously read or written or may be done by interrupts instead of sequentially.

In another embodiment, program content need not have any tags. Tag actions may be locally generated and placed in the local tag table either by the local systems operator, or
5 remotely from a remote site, and then executable by the supervisor.

DESCRIPTION OF DRAWINGS

The invention will be further understood from the following detailed description of a preferred embodiment taken in conjunction with an appended drawing, in which:

Fig. 1 is a representation of an enhanced TV broadcast system incorporating the principles of the present invention in which a primary station generates a communication stream
10 including program content and tags for incorporation of enhancements by local TV stations.

Fig. 2 is a representation of the communication stream of Fig. 1 including program content in MPEG-2 Audio/Visual (A/V) format and an enhancement under the content for distribution to local TV stations.

Fig. 3 is a representation of the communication stream of Fig. 1 including program
15 content in MPEG-2 A/V format and an enhancement spliced into the content.

Fig. 4 is a representation of a tag used in the system of Fig. 1.

Fig. 5 is a system diagram for inserting tags in program content using a standard authoring tool in the system of Fig. 1.

Fig 6 is a flow diagram for the operation of the system of Fig. 5.

Fig. 7 is a local TV system diagram including a tag-processing module for receiving the program content generated in Fig. 1 and retransmission of the content with locally modified enhancements.

Fig. 8 is a flow diagram of a supervisor included in the tag-processing module of Fig. 7.

DESCRIPTION OF PREFERRED EMBODIMENT

Fig. 1 discloses an enhanced TV broadcast system 10 including a primary station 12 coupled to a plurality of Video $14^1 \dots 14^n$ (V) and related audio $16^1 \dots 16^n$ (A) communication streams. Each stream is processed in a standard compressor 18 using the MPEG – 2 format and packetized in the ATM format using a standard packetizer 20. A tag inserter 22 for enhanced programming may insert tags into the video and audio content at the program source (not shown). The communication streams are combined in a standard multiplexer 23 and transmitted by air or cable or wires to local systems $24^1 \dots 24^n$. The content is overridden by the local systems to insert local content of many forms. The local system maintains tables of information that apply local changes to the program content, as will be described hereinafter. These tables are set either by the local system operator or are set remotely by some central agency. The content with the tags arrives at a local ETV system 24^1 , typically a cable system operator, where the streams are subject to a processor 26, decompressed in an expander 28 and subjected to a tag processor 30 for locally modifying the program content. The local system distributes the locally modified program content to standard settop-box players $32^1 \dots 32^n$ which may also interact with the modifications to the program content.

Fig. 2 shows (V/A) program content represented as a bandwidth of information 100 streaming with time, which has embedded in it some enhanced content (tags, HTML, images, etc.) 104 that streams within it. In this MPEG-2 example, the horizontal axis is time, and the vertical axis is bandwidth. The overall bandwidth 100 is constant. Most of the bandwidth goes to the MPEG-2 Audio and Video (A/V) 102. Some irregular bandwidth is left over and unneeded. Usually that is wasted, but enhanced content 104 can be inserted to some extent as

long as it does not squeeze out too much audio-visual information, which would make the video black or jerky or distort the sound.

The Settop box 32 (See Fig. 1) may play this enhanced content for example as a static image (next to a reduced-size video image) to present extra information or to present a buying opportunity and dialog for the viewer. This enhanced content takes bandwidth away from the main MPEG-2 stream, so its insertion must be scheduled to start at a certain time and to stretch out over enough time that it takes a bandwidth small enough to allow the main MPEG-2 stream to maintain the desired quality. There are standard techniques for this called “scheduling”, as will be described hereinafter.

Fig. 3 shows digital program content 202, 206 interrupted for enhanced content 204 to be substituted. A TV commercial is a typical example of enhanced content. There are standard techniques called “splicing” for interrupting the content. In this MPEG-2 example the horizontal axis is time, and bandwidth 200 is the vertical axis. The overall bandwidth 200 is constant. The MPEG-2 program content 202, which includes both audio-visual and other data, is interrupted. A different MPEG-2 stream consisting of enhanced content 204 is spliced into the bandwidth substituting for the original stream. At the end of this enhanced content the original MPEG-2 stream is continued 206 by a second splice.

Both of these forms of enhanced content, scheduled (Fig. 2) or spliced (Fig. 3), can typically be delivered directly by the program content provider, typically a national cable channel. However, local operators may wish to add or substitute local information, purchase opportunities, commercials, etc. not provided by the national feed. Also, the national feed itself may want to provide such information different from what was in the original programming when it was made.

In order to enhance content, tags are inserted into the program content as a marker for the local enhancement. The tags, as will be described hereinafter, may take any form as made by any system. If the tags have a structure not understood by this system they are stored and optionally replaced later whole as single items. If they have been made by the present invention they are stored with this structure and can be partly replaced locally.

Turning now to Figure 4, Tags 40 have a structure, as follows:

Header 42	- indicates a tag follows:
Type 44	- specifies the type of tag i.e. local or override.
Payload 46	- content - additional tag description (optional).

Tags may arrive as character strings or in binary. They may encode their fields positionally or by keyword. The length may be fixed, specified with length fields, or be of arbitrary length followed by a termination string.

Here are some examples of tags for a weather application. First the weather information is cleared:

LocalWeather, Action=DeleteLT, Name=1

Then a specific weather action is loaded into a local system, in this case the Yorktown Heights NY cable head-end, for later action:

LocalWeather, TagAction=SetLT, Name=1, SetLT, Destination=Yorktown HeightsNY, Action=DisplayURL, URL=[http://www.LocalWeather.com/UpperWestchester County.html](http://www.LocalWeather.com/UpperWestchesterCounty.html), Time=Hourly+05:00.000

The type of the tag is LocalWeather, which may or may not be known to the receiving software at the local system. This tag is specified (TagAction) to be set in the Local Table (SetLT) where it will be held for later action. There may be several LocalWeather objects cued up for display at different times, so this one is named "1" to distinguish it from others. When the time comes (5 minutes past the hour), the system action will be to display weather information

from the URL specified to settop boxes tuned to the proper channel. The channel is determined either by the system inspecting the tag or explicitly by a Channel=32 specification in the payload.

Fig. 5 shows one embodiment of a system 300 including an authoring tool (not shown) to insert tags into the content either in real time as the content is broadcast or offline to be stored with the program content for later broadcast. The original program content 301 comes in real-time, or from tape or disk storage, etc. The content is optionally captured 302 by a device that decodes the program if need be from its broadcast form to a digital file in a computer 304. The computer contains a memory 306 both as internal and external storage and is optionally controlled by an operator using input devices 308 and a display 310. Inside the computer a tag-authoring tool 312 runs automatically or under the control of the user to compose and insert tags into the program content. The finished program is encoded 314 into broadcast form and an output 316 is either transmitted in real-time or stored for later broadcast.

Fig. 6 shows a process 400 for the tag-authoring tool 312 to insert the tags into the original program content source 301. The process begins in block 401. The tag authoring tool in block 402 commands the optional capture device 302 to decode the program if need be from its broadcast form or read it from data storage to a digital file, possibly just a buffer, if the process occurs in real-time. The tag-authoring tool then obtains the tags and where they are to be inserted 404 into the program content from a file or from the computer user's input devices. A scheduler module 406 plans where to insert the tags into the program content using little-enough bandwidth so as not to disrupt the audio-visual content in the program, as in Fig. 1. An insertion module 408 performs the insertion. The finished program content with tags is then stored or sent in block 410 to an encoder for broadcast. Which finishes the task 412.

Before looking at the operation of tags in more detail, let's turn to where this tag is going and what happens when it gets there. Recall that in Figs. 5 and 6 the weather tag example was broadcast to many local systems. We now look at one of those local systems, specifically a system in Yorktown Heights, NY that will act on the tag. Other local systems will ignore the tag.

Fig. 7 shows the hardware at a local system receiving the program content with tags and retranslating the program with possibly some locally modified enhancements. The original program's contents 500 come in real-time, or from tape or disk storage, etc. The program content is read from storage or is optionally captured 502 by a device that decodes the program from its broadcast form to a digital file, possibly just a buffer if the process occurs in real-time. Inside the computer 504 are several systems and data structures to deal with the tags. The computer 504 has memory 506 for the program modules and data, and has input devices 508 and a display 510 for tag authoring tool 512 identical to the tag-authoring tool 312 at the broadcast system that originated the program (Fig. 3). The local tag-authoring tool is used if the local system wishes to put tags in program content from scratch. Fig. 7 assumes that the program content arrives at this local system with tags already in it to be modified for local content by a tag-handling supervisor module 514. This supervisor is described in detail below. For now we continue by describing the environment. Using local data tables described below, the supervisor modifies the tags in the program content or calls on local program content 516 and then uses a scheduler module 518 to modify tags or a splitter to substitute local program content. The resulting program is stored or sent to an encoder 520, which makes the program content ready for transmission. The program content is then optionally combined by a Multiplexed 522 with other program content 524 on other channels for broadcast transmission to local setup boxes 528. The setup boxes may not

only view program content and enhanced content but may interact with the content, possibly sending back messages to the Multiplexed, which is capable of receiving these messages, often URL requests. The messages are passed to standard software for transmission to various web servers 530, which provide content for tags made by the tag modules or by request from the setup boxes. Also, these web servers may perform e-commerce and database services for the tag modules or for the setup boxes. The servers may also track the setup interactions or local modifications made by the tag modules or perform other functions.

We now explore the detailed operation of the tag-handling supervisor 514. When tags are read from the program content source 500 the tag-handling supervisor 514 puts them in a Local Table below:

Local Table 1

Header.	Type	Payload
1	LocalWeather,	TagAction=SetLT, Name=1, SetLT, Destination=YorktownHeightsNY, Action=DisplayURL, URL=http://www.LocalWeather.com/UpperWestchesterCounty.html, Time=Hourly+05:00.000

Table 1 shows the Local Table with one entry, the weather tag read from the program content source 500. The tag type is Local Weather, and the payload is simply the remainder of the tag.

The supervisory program 514 observes that the tag has arrived, plans to get the specified URL ahead of time so it is ready to start injecting content in the output stream in accordance to what the scheduler 516 specifies so that the content arrives at the settop boxes in time for display at 5 minutes past the hour. More on this supervisory program shortly.

In the preceding example the given local system obtained its tag directly from the broadcast. That is one way this system can work. However, in another embodiment each local

system obtains local information ahead of time, so that when the program content source broadcasts a tag type identified as generic, each local system receiving the broadcast, may act individually upon the tag. To act individually, each local system includes a Local Override Table having the same format as the local table. We give another weather display example, starting over from the beginning.

At some time before the broadcast the local system receives the generic tag that will eventually be broadcast along with the local action that is to replace it. This information could be broadcast as tags from a central source to all local systems, or it could come from files or keyboard entry at the local system. This information along with action is put in the Local Override table.

Local Override Table 2		
Header	Type	Payload
2	LocalWeather,	TagAction=SetLOT, Action=Replace A by B, Name=1, A=default, B=UpperWestchesterCounty

Table 2 shows the Local Override table with one entry. The tag arrives with the LocalWeather type and a long payload. The action the tag must take is to place itself in the Local Override table (SetLOT). Once there its action is to replace string A by string B (ReplaceAbyB) when they arrive. String A is “default” and string B is “UpperWestchesterCounty”.

Later, when the program is broadcast it will be simplest for the broadcaster to send the same token to all local systems.

Local Table 3

Header	Type	Payload
3	LocalWeather,	TagAction=SetLT, Name=1, SetLT, Destination=YorktownHeightsNY, Action=DisplayURL, URL=http://www.LocalWeather.com/default.html, Time=Hourly+05:00.000

Table 3 shows the generic broadcast token after it arrives into the Local Table during the program content broadcast.

The token awakens the supervisory program, which scans the Local Override Table (Table 2) for any matching entry “LocalWeather” Name=1. The supervisory program finds an entry and executes the instruction there to replace the “default” string by “UpperWestchesterCounty”.

Local Table 4

Header	Type	Payload
4	LocalWeather,	TagAction=SetLT, Name=1, SetLT, Name =1 SetLT, Destination =Yorktown HeightsNY Action Display URL URL=http://www.LocalWeather.com/ UpperWestchesterCounty.html, Time=Hourly+05:00.000

Table 4 shows how the supervisory program modifies the Local Table with local information. All local systems are now ready to substitute their local information.

Figure 8 shows more fully the operation of the supervisor 514, which was just illustrated by example in the weather example above. A process 600 begins at block 601. The supervisor reads the program content source in block 602. As it reads the program it looks for tags in block 604. When it finds one in block 606 it examines the tag in block 608 to see if it should be stored in the Local Table in block 610 or should be placed in the Local Override Table in block 612. If the tag goes to the Local Override Table, then it is examined to see if it should immediately

override the Local Table in block 614, and the supervisor then looks for the next tag 604. If the tag goes to the Local Table in block 610, then it may be overridden by the Local Override Table in block 616. In block 618, if it is time to do what a tag in the Lookup Table is for, then the supervisor executes the in block 620, possibly splicing or inserting content or tags in the program content stream. As long as there is more program content to process, then the supervisor looks for more tags in block 624, else the process 600 ends in block 624.

The program content may be continuously read and written while this is going on, and the processes in Fig. 8 may be done by interrupts instead of sequentially.

Following the display of the first hourly weather, the display will continue at 5 minutes past every hour until the action is reset upon receiving the following token:

Header	Type	Payload
	LocalWeather	TagAction=SetLT, Name=1, Action=None

Or upon deleting the tag from the Local Table by receiving:

LocalWeather	TagAction=DeleteFromLT, Name=1
--------------	--------------------------------

Other tag information can consist of, for example, but not limited to, giving an advisory of when to load the HTML page from the server to the local system, so that it will likely be ready when the time comes to insert into the output program:

LocalWeather	TagAction=SetLT, Name=1, GetURLBy=Hourly+02:00.000
--------------	---

An example of a tag that requests immediate action is:

LocalWeather	TagAction=SetLT, Name=1, Time=Now
--------------	-----------------------------------

However, a tag with no time specified might also be acted on immediately, because the supervisor program has the last word on filling in missing tag characteristics as seen fit or even

overriding the tag settings regardless of the settings in either the Local Table or the Local Override Table.

An example of a local commercial would be the broadcast of the following tag:

5 LocalCommercial Name=ABCMorningNews2,
 TagAction=SetLT, Time =2000:3:3:07:50.000,
 Action=Splice

with the Local Override Table set to:

10 LocalCommercial,
 Name=ABCMorningNews2, TagAction=SetLOT,
 Action=AddA, A="Media=C:\AlsToyStore.mpg"

15 resulting in the Local Table being set to:

20 LocalCommercial Name=ABCMorningNews2, TagAction=SetLT,
 Time =2000:3:3:07:50.000, Action=Splice,
 Media=C:\AlsToyStore.mpg

which adds the field for the local media to be played during the commercial by a video splice into the input program content.

An example of tracking would be the broadcast this tag:

25 LocalWeather TagAction=SetLT, Name=1, SetLT,
 Action=Track,
 URL=Http://www.trackingserver.com/cgi-
 bin/track-cgi?clickedWeather

30 with the Local Override Table set to:

35 LocalWeather Name=1,
 TagAction=SetLOT,
 Action=Replace A by B,
 A=clickedWeather,
 B=clickedUpperWestchesterCountyWeather

resulting in the Local Table being set to:

LocalWeather	TagAction=SetLT, Name=1, SetLT, Action=Track, URL=Http://www.trackingserver.com/cgi-bin/track- cgi?clickedUpperWestchesterCountyWeather
--------------	---

which tracks user interaction with the local weather. At the appropriate time (5 minutes past every hour as set in the additional Local Table entry some distance above), this URL will be sent to the settop box, which upon user click will send the tracking URL request back to the cable head-end, which will send it to the tracking server.

There is no necessity for the local system to be limited to overriding tags that come from a remote program source. The program source could be local. The program source need not have any tags, so that tags indicating actions may simply be placed in the Local Table either by the local system operator or remotely in earlier program source from a remote site, and then be ready to act without help from the program source.

While the invention has been described with reference to specific embodiments, the description of the specific embodiments is illustrative only and is not to be considered as limiting the scope of the invention. Various other modifications and changes may occur to those skilled in the art without departing from the spirit and scope of the invention.

WE CLAIM:

- 1 1. A system for incorporating local content into a communication stream,
2 comprising:
 - 3 a) means for transmitting a communication stream including program content to a
4 receiver;
 - 5 b) means for inserting in the program content tags descriptive of local action at the
6 receiver;
 - 7 c) means for capturing the program content at the receiver and storing the tags in
8 tables; and
 - 9 d) means for processing the tags to insert local content in place of the program
10 content for re-transmission to the local area served by the receiver.
- 11 2. The system of Claim 1 further comprising:
 - 12 e) means for authoring tags and inserting them into the program content.
- 13 3. The system of Claim 1 further comprising:
 - 14 f) means for scheduling the tags in the program content for local action.
- 15 4. The system of Claim 1 further comprising:
 - 16 g) a first table means in the receiver for storing a first tag in the program content;
 - 17 and

4 h) a second table means in the receiver for storing a second tag in the program
5 content.

1 5. The system of Claim 1 wherein the first tag comprises:

2 i) means for identifying local content for splicing or replacing program content.

1 6. The system of Claim 1 wherein the second tag comprises:

2 j) means for overriding the local tag with other content.

1 7. The system of Claim 1 wherein each tag comprises a header, tag type and local
2 action.

1 8. The system of Claim 1 wherein the processing means comprises;

2 k) a supervisor for scanning a first and a second table for tags; and

3 l) means for detecting a scheduled time in the program content for initiating and
4 transmitting local action described in a tag.

1 9. The system of Claim 1 wherein the means for inserting tags in the program
2 content comprises:

3 m) an authoring tool generating local and override tags; and

4 n) means included in each tag defining a header, a tag type and local action.

1 10. An enhanced TV system comprising:
2 a) at least one source for transmitting compressed, packetized audio/video program
3 content with tags in a communication stream;
4 b) at least one enhanced TV station for receiving the communication stream;
5 c) means for expanding the received communication stream;
6 d) means for processing the tags in the communication stream to insert local content
7 underlying or spliced into the program content; and
8 e) local receivers for receiving, viewing and interacting with the program content.

1 11. The enhanced TV system of Claim 10 further comprising:
2 f) computer means including a memory;
3 g) program instructions stored in the memory for authoring tags; supervising tag
4 processing;
5 h) scheduling tag insertion into the program content and splicing tags into the
6 program content; and
7 i) means coupling the computer to web servers for e-commerce, database
8 information and tracking interaction with the local receivers.

1 12. The enhanced TV system of Claim 11 further comprising:
2 j) the local receiver means generating and transmitting messages to the enhanced TV
3 station; and
4 k) means for transmitting the messages and/or the tags to the web servers which
5 provide content for the tags and/or respond to the messages.

1 13. A method of processing tags in a communication stream containing program
2 content for delivery to a receiver, comprising the steps of:
3 a) capturing the program content including the tags and storing the tags in tables at
4 the receiver; and
5 b) processing the tags to insert local content in place of the program content at a
6 scheduled time in the program content for re-transmission to an area served by the receiver.

1 14. The method of Claim 13 further comprising the step of:
2 c) scheduling the tag in the program content for incorporation into the
3 communication stream at scheduled insertion points.

1 15. The method of Claim 13 further comprising the step of:
2 d) coupling a settop box to the receiver for interaction in accordance with an action
3 defined in a tag.

1 16. The method of Claim 13 further comprising the step of:
2 e) sending messages to the transmitter from settop boxes.

1 17. The method of Claim 13 further comprising the step of:
2 f) tracking settop interaction with the receiver or local modifications made by the
3 tag in the program content.

1 18. The method of Claim 13 further comprising the step of:

2 g) transmitting messages to web servers for contents identified by the tag or
3 requests from settop boxes.

1 19. A supervisor module in an enhanced TV station comprising:

2 a) means for reading program content in a communication stream from a transmitter;
3 b) means for identifying tags in the program content;
4 c) means for inserting identified tags in tables; and
5 d) means for replacing program content with local content based on the identified
6 tags.

1 20. The supervisor module of Claim 19 further comprising:

2 e) means for storing the tags in a local table or an override table according to a tag
3 identifier.

1 21. The supervisor module of Claim 19 further comprising:

2 f) means for implementing the local table tags in the program content unless
3 replaced by the override table tags.

1 22. A method for processing tags to replace program content in a communication
2 stream with local content, comprising the steps of:

3 a) reading program content in a communication stream;
4 b) identifying tags in the program content;

5 c) inserting identified tags in tables; and

6 d) replacing program content with local content based on the identified tags.

1 23. The method of Claim 22 further comprising the step of:

2 e) storing the tags in a local table or an override table according to a tag identifier.

1 24. The method of Claim 22 further comprising the step of:

2 f) implementing the local table tags in the program content unless replaced by the
3 override table tags.

1 25. A method for installing tags to replace program content in a communication
2 stream with local content, comprising the steps of:

3 a) commanding a capture device to read the program content;

4 b) obtaining the tags in the program content and the location and where they are to
5 be inserted into the content;

6 c) scheduling the tags so that they arrive in the content by the time specified for their
7 insertion;

8 d) inserting the tags into the program content at the scheduled time; and

9 e) storing the finished program content with the tags or encoding the program

10 content and the tags for broadcast.

1 26. A program medium executable in a computer system for processing tags in a
2 communication stream containing program content for delivery to a receiver, comprising:
3 a) program instruction in the medium for capturing the program content including
4 the tags and storing the tags in tables at the receiver; and
5 b) program instructions in the medium for processing the tags to insert local content
6 in place of the program content at a scheduled time in the program content for re-transmission to
7 an area served by the receiver.

1 27. The program medium of Claim 26 further comprising:
2 c) program instructions in the medium for scheduling the tag in the program content
3 for incorporation into the communication stream at scheduled insertion points.

1 28. The program medium of Claim 26 further comprising:
2 d) program instructions in the medium for coupling a settop box to the receiver for
3 interaction in accordance with an action defined in a tag.

1 29. The program medium of Claim 26 further comprising:
2 e) program instruction in the medium for sending messages to the transmitter from
3 settop boxes.

1 30. The program medium of Claim 26 further comprising:
2 f) program instructions in the medium for tracking settop interaction with the
3 receiver or local modifications made by the tag in the program content.

- 1 31. The program medium of Claim 26 further comprising:
- 2 g) program instructions for transmitting messages to web servers for contents
- 3 identified by the tag or requests from settop boxes.

2025-01-01 10:00:00

ABSTRACT OF THE DISCLOSURE

A system, method and program product uses tags as markers for incorporating local content in a communications stream, e.g., TV broadcast, cable transmission. A transmitter generates a communication stream including program content. The transmitter includes an authoring tool for generating tags incorporated into the program content. A scheduler inserts the tags into the program content so as not to disrupt the audio-visual content in the program by insertion under or splicing the tag in the program content. An insertion module performs the insertion of the tag into the content. The finished program content with tags is stored or sent to an encoder for transmission to a receiver as a communication stream, in one embodiment, using MPEG – 2. The tags contain modification of the content for retransmission to the local receiver area with local content or other actions. The tags are of two types. One tag initiates local action in the program content in the communication stream. A second tag overrides local action. Each tag contains a header, a tag type and tag action. The header indicates that tags follow in the content. The tag type indicates local program content, i.e., local weather, local commercials, and viewer interaction. Tag action implements the local content. A receiver captures and stores the program content and tags in a buffer. Local tags are stored in a local table. Override tags are stored in a local override table. During the transmission of the program content, a supervisor module continuously reads the local table for local tags. When the time for a local tag is detected, the program content is interrupted by splicing or inserting the local content according to the tag action described in the local tag. If a local override tag is detected, the local tag is overridden, and the tag action described by the local override tag is performed.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Begin	400
-------	-----




FIG. 6




FIG. 7

```

graph TD
    600[Begin 600] --> 602[Read program content source 602]
    602 --> 604[Look for tag 604]
    604 --> 606{Found tag? 606}
    606 -- No --> 618{Time for Local Table Action? 618}
    606 -- Yes --> 608{Local Table or LOT? 608}
    608 -- LOT --> 612[Put in Local Override Table 612]
    608 -- LT --> 610[Put in Local Table 610]
    612 --> 614[Override Local Table 614]
    610 --> 616[Accept Local Table override from Local Override Table 616]
    614 --> 616
    616 --> 618
    618 -- Yes --> 620[Execute Local Table Action 620]
    618 -- No --> 622{End of program content? 622}
    620 --> 622
    622 -- No --> 606
    622 -- Yes --> 624[End 624]
  
```

FIG. 8

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

AN ENHANCED TV BROADCASTING METHOD AND SYSTEM USING TAGS FOR INCORPORATING LOCAL CONTENT INTO A PROGRAM DATA STREAM]

the specification of which (check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application Number _____

or PCT International Application Number _____

and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)	Priority Claimed
_____ (Number) (Country) (Day/Month/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

_____ (Application Number)	_____ (Filing Date)
-------------------------------	------------------------

I hereby claim the benefit under 35 U.S.C. §120 of any United States Application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States, or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in 37 CFR §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
-----------------------------------	------------------------	--

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Manny W. Schechter (Reg. 31,722), Terry J. Ilardi (Reg. 29,936), Christopher A. Hughes (Reg. 26,914), Mark J. Abate (Reg. 32,527), John E. Hoel (Reg. 26,279), Joseph C. Redmond, Jr. (Reg. 18,753), Douglas W. Cameron (Reg. 31,596), Louis P. Herzberg (Reg. 41,500), Kevin M. Jordan (Reg. 40,277), Stephen C. Kaufman (Reg. 29,551), Daniel P. Morris (Reg. 32,053), Louis J. Percello (Reg. 33,206), Jay P. Sbröllini (Reg. 36,266), David M. Shofi (Reg. 39,835), Robert M. Trepp (Reg. 25,933), Paul J. Otterstedt (Reg. 37,411) and Wayne L. Ellenbogen (Reg. 43,602)

Send Correspondence to: Mark J. Abate, Esq.

Morgan & Finnegan, L.L.P., 345 Park Avenue, New York, NY 10154

Direct Telephone Calls to: (name and telephone number) Mark J. Abate (212) 415-8723

Shu-Chun Jeane Chen

Full name of First joint-inventor

Inventor's Signature

Date

Residence

9 Brittany Court, Chappaqua, New York 10532 USA

Citizenship

same as above

Post Office Address

James S. Lipscomb

Full name of second joint-inventor, if any

Inventor's signature

Date

1646 Paine Street, Yorktown Heights, NY 10598 USA

Residence

USA

Citizenship

same as above

Post Office Address

Lurng-Kuo Liu

Full name of third joint-inventor, if any

Inventor's signature

Date

125 Lake Street, #12AN, White Plains, NY 10604 USA

Residence

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Republic of China
Citizenship

same as above
Post Office Address

Jai Menon
Full name of fourth joint-inventor, if any

Inventor's Signature _____ Date _____

9 Applebee Farm, Croton-on-Hudson, NY 10520 USA
Residence

USA
Citizenship

same as above
Post Office Address

Liang-Jie Zhang
Full name of fifth joint-inventor, if any

Zhang Liang-Jie 10/31/2000
Inventor's Signature _____ Date _____

14 Westview Avenue, White Plains, NY 10603 USA
Residence

Republic of China
Citizenship

same as above
Post Office Address

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

AN ENHANCED TV BROADCASTING METHOD AND SYSTEM USING TAGS FOR INCORPORATING LOCAL CONTENT INTO A PROGRAM DATA STREAM

the specification of which (check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application Number _____

or PCT International Application Number _____

and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed
(Number)	(Country)	(Day/Month/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No
_____	_____	_____	

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

(Application Number)	(Filing Date)
_____	_____

I hereby claim the benefit under 35 U.S.C. §120 of any United States Application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States, or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in 37 CFR §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
_____	_____	_____

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Manny W. Schecter (Reg. 31,722), Terry J. Ilardi (Reg. 29,936), Christopher A. Hughes (Reg. 26,914), Mark J. Abate (Reg. 32,527), John E. Hoel (Reg. 26,279), Joseph C. Redmond, Jr. (Reg. 18,753), Douglas W. Cameron (Reg. 31,596), Louis P. Herzberg (Reg. 41,500), Kevin M. Jordan (Reg. 40,277), Stephen C. Kaufman (Reg. 29,551), Daniel P. Morris (Reg. 32,053), Louis J. Percello (Reg. 33,206), Jay P. Sbröllini (Reg. 36,266), David M. Shofi (Reg. 39,835), Robert M. Trepp (Reg. 25,933), Paul J. Otterstedt (Reg. 37,411) and Wayne L. Ellenbogen (Reg. 43,602)

Send Correspondence to: Mark J. Abate, Esq.

Morgan & Finnegan, L.L.P., 345 Park Avenue, New York, NY 10154

Direct Telephone Calls to: (name and telephone number) Mark J. Abate (212) 415-8723

Shu-Chun Jeane Chen

Full name of First joint-inventor

Inventor's Signature

Date

10907 Derry Down Way, San Diego, CA 92130 USA

Residence

USA

Citizenship

same as above

Post Office Address

James S. Lipscomb

Full name of second joint-inventor, if any

Inventor's signature

Date

1646 Paine Street, Yorktown Heights, NY 10598 USA

Residence

USA

Citizenship

same as above

Post Office Address

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Lung-Kuo Liu
Full name of third joint-inventor, if any

Inventor's signature _____ Date _____

125 Lake Street, #12AN, White Plains, NY 10604 USA
Residence

Republic of China
Citizenship

same as above
Post Office Address

Jai Menon
Full name of fourth joint-inventor, if any


Inventor's Signature _____ Date 11/9/00

1041 Abingdon Lane, Alpharetta, GA 30022
Residence

USA
Citizenship

same as above
Post Office Address

Liang-Jie Zhang
Full name of fifth joint-inventor, if any

Inventor's Signature _____ Date _____

14 Westview Avenue, White Plains, NY 10603 USA
Residence

Republic of China
Citizenship

same as above
Post Office Address

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

AN ENHANCED TV BROADCASTING METHOD AND SYSTEM USING TAGS FOR INCORPORATING LOCAL CONTENT INTO A PROGRAM DATA STREAM

the specification of which (check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application Number _____

or PCT International Application Number _____

and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)	Priority Claimed
_____	_____ Yes _____ No
(Number) (Country) (Day/Month/Year Filed)	

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

_____	_____
(Application Number)	(Filing Date)

I hereby claim the benefit under 35 U.S.C. §120 of any United States Application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States, or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in 37 CFR §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Manny W. Schecter (Reg. 31,722), Terry J. Ilardi (Reg. 29,936), Christopher A. Hughes (Reg. 26,914), Mark J. Abate (Reg. 32,527), John E. Hoel (Reg. 26,279), Joseph C. Redmond, Jr. (Reg. 18,753), Douglas W. Cameron (Reg. 31,596), Louis P. Herzberg (Reg. 41,500), Kevin M. Jordan (Reg. 40,277), Stephen C. Kaufman (Reg. 29,551), Daniel P. Morris (Reg. 32,053), Louis J. Percello (Reg. 33,206), Jay P. Sbröllini (Reg. 36,266), David M. Shofi (Reg. 39,835), Robert M. Trepp (Reg. 25,933), Paul J. Otterstedt (Reg. 37,411) and Wayne L. Ellenbogen (Reg. 43,602)

Send Correspondence to: Mark J. Abate, Esq.

Morgan & Finnegan, L.L.P., 345 Park Avenue, New York, NY 10154

Direct Telephone Calls to: (name and telephone number) Mark J. Abate (212) 415-8723

Shu-Chun Jeane Chen

Full name of First joint-inventor

Inventor's Signature

10/30/00
Date

10907 Derry Down Way, San Diego, CA 92130 USA

Residence

USA

Citizenship

same as above

Post Office Address

James S. Lipscomb

Full name of second joint-inventor, if any

Inventor's signature

Date

1646 Paine Street, Yorktown Heights, NY 10598 USA

Residence

USA

Citizenship

same as above

Post Office Address

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Lurng-Kuo Liu

Full name of third joint-inventor, if any

Inventor's signature

Date

125 Lake Street, #12AN, White Plains, NY 10604 USA

Residence

Republic of China

Citizenship

same as above

Post Office Address

Jai Menon

Full name of fourth joint-inventor, if any

Inventor's Signature

Date

1041 Abingdon Lane, Alpharetta, GA 30022

Residence

USA

Citizenship

same as above

Post Office Address

Liang-Jie Zhang

Full name of fifth joint-inventor, if any

Inventor's Signature

Date

14 Westview Avenue, White Plains, NY 10603 USA

Residence

Republic of China

Citizenship

same as above

Post Office Address